

Zehnder Metropolitan Spa

Electric operation

Product data sheet

always the best climate



The innovative design of Zehnder Metropolitan Spa makes the bathroom that much nicer and more pleasant to be in. Ample cut-outs in this version offer plenty of space for large towels. Available in almost any colour and finish from the Zehnder colour chart.


Advantages

- Smooth surface creates an elegant look
- Cut-outs for hanging and heating towels
- Convenient, individually adjustable towel hooks on request for hanging towels
- High proportion of radiation ensures comfort
- Light and seamless design enhances any room
- The right model for any setting
- Light airy look provided by distinctive triangular profile of frame
- Innovative hybrid welding technology guarantees maximum quality and high-end design

Special benefits for electric operation

- Simple temperature control thanks to user-friendly remote control device
- Customisable daily and weekly programmes for convenient, on-demand operation
- Timer function for on-demand operation
- Dry-running protection prevents temperature warning
- Factory-assembled electric heating element reduces cost of installation
- The electric radiator provides warm towels and rooms all the year round
- Energy-efficient and comfortable heating with innovative “open window detection”
- Electric operation provides warm towels and comfortable rooms all year round
- High energy efficiency due to compliance with the European Ecodesign Directive reduces energy costs
- Low energy consumption of only 0.5 W in stand-by mode for increased energy efficiency
- Increased safety with keylock
- Flexible control options: control device for wall mounting or base

Model overview



V2023-02-08, V20220218, RAD_DAS, UK_en, subject to change without prior notice

Painted version

With towel cut-out

Model	H	L	Power electric heating element
	mm	mm	Watts
METE-080-040/GF	805	400	300
METE-120-040/GF	1225	400	500
METE-120-050/GF	1225	500	500
METE-150-050/GF	1540	500	600
METE-180-050/GF	1750	500	750
METE-120-060/GF	1225	600	600
METE-150-060/GF	1540	600	750

H = height, L = length

Product types and connection options