

Zehnder Roda

Hydronic operation

Product data sheet

always the best climate



Ideal for entrance halls, kitchens and bathrooms. Zehnder Roda takes up hardly any room. Actually it creates space! Useful accessories, such as hooks and towel rails, make the radiator Zehnder Roda even more practical. Available in all colours and surfaces from the Zehnder colour chart.

Advantages

- Wide range of elegant accessories for a variety of combination options
- Wide range of models supports versatile use
- Short response time means rooms can be heated up rapidly
- High thermal output means large rooms are heated up rapidly

Model overview

Horizontal models

With horizontal elements

Model	H mm	L mm	Heat output			
			75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C
			Watts	Watts	Watts	Watts
ROH60	592	1000	665	476	288	346

H = height, L = length
75/65/20 = Nominal heat output according to EN 442

Horizontal models

With vertical elements

Model	H mm	L mm	Heat output			
			75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C
			Watts	Watts	Watts	Watts
ROHD60	592	1000	1069	769	469	562

H = height, L = length
75/65/20 = Nominal heat output according to EN 442

Horizontal models

With vertical elements

Model	H mm	L mm	Heat output			
			75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C
			Watts	Watts	Watts	Watts
ROHL-060/030	592	1000	1003	712	426	514
ROHL-060/044	592	1000	1005	725	444	531
ROHL-060/060	592	1000	1074	773	471	564

H = height, L = length
75/65/20 = Nominal heat output according to EN 442

Vertical models

Model	H mm	Heat output			
		75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C
		Watts	Watts	Watts	Watts
ROV180	1800	142	101	60	72.7

H = height, L = length
75/65/20 = Nominal heat output according to EN 442

Vertical models

Model	H mm	Heat output			
		75/65/20 °C Watts	70/55/24 °C Watts	55/45/24 °C Watts	55/45/20 °C Watts
ROVD180	1800	206	146	87	105

H = height, L = length

75/65/20 = Nominal heat output according to EN 442